

















	<p>D - Panel</p> <ul style="list-style-type: none"> - Distance between feet and head Shoulder width - credit one DV lower More than shoulder width – No DV - No upper back arch and release of head- No DV <p>E - Panel</p> <ul style="list-style-type: none"> - Insufficient arch position – 0.10 - Leg or knee separation – 0.10/0.30 												
7 (page 20)	<p>Yang Bo</p> <p>ADD: "at least". Change 20° to 45°</p>												
ART.8	<p>Move text from page 22 to page 23</p> <p>New wording</p> <p>The D Judge with written notification from the Line Judge will deduct for deviation from the straight direction from the Final Score.</p> <ul style="list-style-type: none"> - Land in the Corridor, but close to the prescribed vault corridor line – 0.10 P - Land outside the Corridor line with one foot – 0.30 P. - Land outside the Corridor with both feet – 0.50 P. <p>Note: Initial contact is decisive</p>												
8 (page 23)	<p>First Flight Phase</p> <p>ADD:</p> <table border="0"> <tr> <td>Bent Knees</td> <td>0.10</td> <td>0.30</td> <td>0.50</td> </tr> <tr> <td>Bent Arms</td> <td>0.10</td> <td>0.30</td> <td>0.50</td> </tr> <tr> <td>Leg or knee separation</td> <td>0.10</td> <td>0.30</td> <td></td> </tr> </table>	Bent Knees	0.10	0.30	0.50	Bent Arms	0.10	0.30	0.50	Leg or knee separation	0.10	0.30	
Bent Knees	0.10	0.30	0.50										
Bent Arms	0.10	0.30	0.50										
Leg or knee separation	0.10	0.30											
8 (page 23)	<p>Repulsion phase</p> <p>Delete 0.50 deduction for prescribed BA began too early</p>												
8 (page 23)	<p>ADD: Second Flight Phase</p> <table border="0"> <tr> <td>Bent Knees</td> <td>0.10</td> <td>0.30</td> <td>0.50</td> </tr> <tr> <td>Leg or knee separation</td> <td>0.10</td> <td>0.30</td> <td></td> </tr> </table>	Bent Knees	0.10	0.30	0.50	Leg or knee separation	0.10	0.30					
Bent Knees	0.10	0.30	0.50										
Leg or knee separation	0.10	0.30											
8 (page 23)	<p>Landing Faults</p> <p>Delete 0.50 deduction for failure to maintain stretched body</p>												
9 (page 24; 9.1)	ADD: Third attempt is not permitted												
9 (page 24; 9.2)	<p>Content and Construction of the exercise</p> <p>Delete: Root Skill Principle and example</p> 												
9 (page 24; 9.3)	The CR # 3- new wording: Min. two different grips (no cast, MT or DMT) and a Close bar Circle element (non flight)												
9 (page 24; 9.4)	<p>Formulas for direct connections: Delete: Stars (*) in the 1st line</p> <p>Read: For CV all C/D elements must have flight or min. ½ turn (180°)</p> <p>ADD: D (HB to LB) + C + 0.10</p>												
9 (page 25; 9.4)	 <p>Change Symbol to</p>												
9 (page 25; 9.5)	<p>Delete: Poor Rhythm deduction of 0.30</p> <p>ADD: Amplitude of:</p> <ul style="list-style-type: none"> - Swings fwd or bwd under horizontal 0.10 - Casts 0.10 0.30 												
10 (page 26; 10.1)	ADD: Third attempt is not permitted												
10 (page 26; 10.3)	The CR # 2: delete "on one foot"												
10 (page 27; 10.4)	<p>Delete: star (*) for CV C/D + D (or more) +0.10</p> <p>ADD: star (*) for CV *C/D + D (or more) +0.20</p> <p>ADD: A+C (or reverse)</p> <p>Read: May be performed on the same support leg or with step into turn on opposite leg (brief demi-plie´ on one or both feet is permitted)</p>												
10 (page 27; 10.4)	<p>Delete: previous text and substitute with text from art.5</p> <p>* Connections with rebounding effect develop speed in one direction:</p> <ul style="list-style-type: none"> • Landing (on two feet) from the 1st flight element with hand support followed by an immediate take-off/rebound into the 2nd element or • landing from the 1st element on one leg and placing the free leg with an immediate rebound from both legs into the 2nd element 												
11 (page 29; 11.2)	<p>The definition of an Acro Line is:</p> <p>An Acro Line may consist of a min. of one flight element without hand support and take off 2 feet (rebound); including mixed connections</p> <p>Example to the above statement:</p> 												
11 (page 29; 11.3)	CR # 1: Change 3 to 2												

11 (page 29; 11.3)	CR # 3 ADD: swd
11 (page 29; 11.3)	Reword DMT is the last acro line. No DMT will be credited if only one acro line is performed.
Table of Elements	<p>UB</p> <p>Delete 2.104 , 2.105  and . In 3.310 delete 3rd & 4th elements. In 6.405 delete the second wording and symbol</p> <p>BB</p> <p>1.308 delete the second wording and symbol. Change to new  symbol Delete 3.202, 3.203. Move 5.406 (2nd element) to 5.404.</p> <p>ADD:  to 5.411 Move 6.302 (tuck) to 6.202. In 6.406 delete – “or at the end of beam”</p> <p>FX</p> <p>Delete:  from 1.101, ADD: " to 1.102, Move " to 1.107, Move  to 1.101, Move  to 1.309, Move " to 1.414, Move 2.302, 2.303 to D, Move 2.401 to E. Delete: 2.304. Change symbol of 2.204 to , Move  to 5.402</p>